







Technical Description

Flex Filter

	Description	Part Number
	<p>Description FlexFilter Application: Bag type filters designed for dust, welding fume and debris. Description: Dust collector with 2-stage filtration. Central inlet with velocity reducer. Fully automatic filter cleaning. Can easily be equipped with a great variety of filter materials, bins, emptying systems, explosion relief panels etc. Standard equipped with circular bags of polypropylene. PTFE or anti-static filters on request. Max air flow: 1600 m³/h / 942 cfm Max. vacuum: - 50 kPa / 200 in. W.G. Separation: 99.95 % (fine dust)</p>	
	<p>FlexFilter Single Capacity: 1600 m³/h / 942 cfm Filter area: 12 m² / 129 sq.ft. Weight: 184 kg / 405 lb. Dimensions: H x L x W: 2496 x 1015 x 800 mm / 98.6 x 40 x 32 in. Dust bin: 70 l / 18.5 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 00</p>
	<p>FlexFilter Twin Capacity: 3200 m³/h / 1884 cfm Filter area: 2 x 12 m² / 2 x 129 sq.ft. Weight: 344 kg / 757 lb. Dimensions: H x L x W: 2496 x 1950 x 800 mm / 98.6 x 77 x 32 in. Dust bin: 70 l x 2 / 18.5 x 2 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 05</p>




Technical Description

Flex Filter

	Description	Part Number
	<p>FlexFilter Single RF Capacity: 1800 m³/h / 1060 cfm Filter area: 12 m² / 129 sq.ft. Weight: 218 kg / 485 lb. Dimensions: H x L x W: 2496 x 1015 x 800 mm / 98.6 x 40 x 32 in. Dust bin: 70 l / 18.5 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 01</p>
	<p>FlexFilter Twin RF Capacity: 3600 m³/h / 2120 cfm Filter area: 2 x 12 m² / 2 x 129 sq.ft. Weight: 399 kg / 878 lb. Dimensions: H x L x W: 2496 x 1950 x 800 mm / 98.6 x 77 x 32 in. Dust bin: 70 l x 2 / 18.5 x 2 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 06</p>
	<p>FlexFilter Single RF w/ explosion relief panel Capacity: 1600 m³/h / 942 cfm Filter area: 12 m² / 129 sq.ft. Weight: 220 kg / 484 lb. Dimensions: H x L x W: 2496 x 1015 x 800 mm / 98.6 x 40 x 32 in. Dust bin: 70 l / 18.5 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 06</p>
	<p>FlexFilter Twin RF w/ explosion relief panel Capacity: 3200 m³/h / 1884 cfm Filter area: 2 x 12 m² / 2 x 129 sq.ft. Weight: 392 kg / 862 lb. Dimensions: H x L x W: 2496 x 1950 x 800 mm / 98.6 x 77 x 32 in. Dust bin: 70 l x 2 / 18.5 x 2 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 02</p>

Technical Description

Flex Filter

	Description	Part Number
	<p>FlexFilter Single RF w/ expl relief panel Capacity: 1800 m³/h / 1060 cfm Filter area: 12 m² / 129 sq.ft. Weight: 238 kg / 524 lb. Dimensions: H x L x W: 2496 x 1015 x 800 mm / 98.6 x 40 x 32 in. Dust bin: 70 l / 18.5 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 03</p>
	<p>FlexFilter Twin RF w/ expl relief panel Capacity: 3600 m³/h / 2120 cfm Filter area: 2 x 12 m² / 2 x 129 sq.ft. Weight: 439 kg / 966 lb. Dimensions: H x L x W: 2496 x 1950 x 800 mm / 98.6 x 77 x 32 in. Dust bin: 70 l x 2 / 18.5 x 2 Gallons Inlet / outlet: Ø 200 mm / 7.9 in.</p>	<p>40 1186 08</p>
	<p>FlexFilter Single w/ auto emptying bin High Standard Capacity: 1600 m³/h / 942 cfm Filter area: 12 m² / 129 sq.ft. Weight: 305 kg / 670 lb. Dimensions: H x L x W: 4121 x 1606 x 1056 mm / 162 x 63 x 42 in. Dust bin: 70 l / 18.5 Gallons Inlet / outlet: Ø 200 mm / 7.9 in. Free height under opened lid: 1093 mm / 43in</p>	<p>40 1186 04</p>