

Ø 100 mm Diamond cutting blade.

Type: Kawasaki KPT 125A/126 KPT 100AL/Chicago Pneumatic CP854E
 JET AG40L 402304/ Ingersoll Rand LA422-EU/Endeavour E2515L-14

Applications: Cutting of reinforced plastics (GRP) Cutting depth 25mm.

Suction requirement: 200m³/h **Vacuum hose:** ø 32mm

Attachment kit Art. No: xxxxxxxx

Parts in attachment kit: 40304220 Manifold
 40272320 Cover 100mm

Accessories: 40507401 Diamond blade Ø 100mm hole 22,2mm
Hose kit Art. No: 40273250



Ø 125mm Fibre disc

Type: Ingersoll Rand 313 / Shinano SI 2350.2351 / Desoutter 363.S146L
Gison GP 829 / Rodcraft 7120.7130 / Wurth 1990-750 0 / Rodac RC 7221
Puma AT 7078 / **Endeavour E2351.E2451**

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h


Vacuum hose: ø 38mm

Attachment kit Art. No: 40401750

Parts in attachment kit: 40310051 Manifold incl screws M5x25
40265020 Push fit hood with brush
40272140 Spacer 6mm
40271030 Backing up pad
40272670 Flange nut 5/8"

Accessories: 40990271 Pin wrench

Hose kit Art. No: 40272440





Ø 180mm Fibre disc


Type: Ingersoll Rand 313 / Shinano SI 2350.2351 / Desoutter 363.S146L
Gison GP 829 / Rodcraft 7120.7130 / Wurth 1990-750 0 / Rodac RC 7221
Puma AT 7078 / Endeavour E2351.E2451

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 40401760

Parts in attachment kit: 40310051 Manifold incl screws M5x25
40267500 Push fit hood with brush
40272150 Spacer 9mm
40271060 Backing up pad
40272670 Flange nut 5/8"



Accessories: 40990271 Pin wrench
Hose kit Art. No: 40272440



Ø All Straight grinders use with grinding and cutting wheel

Type: For straight wheels

Applications: Grinding of weld joints, sheet metal, castings, concrete etc

Suction requirement: 250 m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 40402760

Parts in attachment kit: xxxxxxxx Manifold incl screws

Accessories:

Hose kit Art. no: 40273260



Ø 100-125mm Disc

Type: All grinders

Applications: Grinding of weld joints, sheet metal, castings, concrete

Suction requirement: 200m³/h

Vacuum hose: ø 32mm

Attachment kit Art. No: 40403210

Accessories:

Hose kit Art. No: 40273250



Ø 125 mm Fibre disc

Type: Kawasaki KPT 126 / Endeavour E2515L-14

Applications: Grinding and sanding of metal, plastics, wood etc

Suction requirement: 250m³/h **Vacuum hose:** ø 38mm

Attachment kit Art. No: 40403440

Parts in attachment kit: 40310270 Manifold incl screws
40265020 Push fit hood with brush
40272710 Spacer 15mm
40271050 Backing up pad
40272683 Flange nut

Accessories: 40265040 Push fit hood with brush high 30mm
40990271 Pin wrench

Hose kit Art. No: 40273260