



**Ø All Straight grinders use with grinding and cutting wheel**

**Type:** For straight wheels

**Applications:** Grinding of weld joints, sheet metal, castings, concrete etc

**Suction requirement:** 250 m<sup>3</sup>/h      **Vacuum hose:** ø 38mm

**Attachment kit Art. No:** 40402760

**Parts in attachment kit:** xxxxxxxx Manifold incl screws

**Accessories:**

**Hose kit Art. no:** 40273260



### Ø 105-125mm Diamond cup Wheel

**Type:** Flex LG 1507 / 1707 7000rpm

**Applications:** Grinding of castings and concrete

**Suction requirement:** 250m<sup>3</sup>/h

**Vacuum hose:** ø 38mm

**Attachment kit Art. No:** 40403140

**Parts in attachment kit:**

- 40316060 Manifold incl screws
- 40990220 Allen key 2,5mm
- 40265024 Push fit hood with cover 105
- 40272710 Spacer 15mm
- 40272700 Nut M14 high16
- 40990271 Pin key
- 40278011 Handle
- 40910500 Screw M6S 8x16 fzb 2 pcs
- 40912360 Washer 8, 4 2 pcs
- xxxxxxx Hose type FS 38mm metal spiral 0,5M
- 40151050 M40-38P Hose coupler
- 40151020 F40-50P Hose coupler

**Accessories:** 40160202 Hose FS-38 L=15m m.spiral

**Hose kit Art. No:** 40273260 Hose FS-38 L=1,8 m.spiral with coupler 40151050



**Ø 100-125mm Disc**

**Type:** All grinders

**Applications:** Grinding of weld joints, sheet metal, castings, concrete

**Suction requirement:** 200m<sup>3</sup>/h

**Vacuum hose:** ø 32mm

**Attachment kit Art. No:** 40403210

**Accessories:**

**Hose kit Art. No:** 40273250


The adapter can hold the nozzle in two positions to match 180mm or 230mm grinding wheels.



With Vacuum



Without vacuum



### Ø 180-230mm Depressed centre wheel

**Type:** EL-Machines. Bosch, Hitachi, DeWalt, Makita, Metabo, Milwaukee, Flex, Fein.

**Applications:** Grinding of weld joints, sheet metal, castings, concrete etc

**Suction requirement:** 250 m<sup>3</sup>/h      **Vacuum hose:** ø 38mm or 45mm

**Attachment kit Art. No:** 40409002

**Accessories:**  
**Hose kit Art. no:** 40273260



## Ø 125 mm Diamond cup wheel

**Type:** FLEX LD 1709 FR

**Applications:** Grinding of castings and concrete

**Suction requirement:** 250m<sup>3</sup>/h

**Vacuum hose:** ø 38mm

**Attachment kit Art. No:** 40409230

**Parts in attachment kit:** 40315040 Manifold incl screws  
40272660 Spacer 10mm  
40265025 Push fit hood incl cover 40265023

**Accessories:** 40990271 Pin wrench  
40273340 Flange nut M14 H13

**Hose kit Art. No:** 40273260